

TEXANA TANK CAR & MFG., INC.

GagePro II© Version 11/22/98

Page 1

Tank style: Straight-top, sloping-bottom tank
 Shell-full capacity: 30,197 gal.
 Specification: DOT
 Internal components (gal): 0
 Lining thickness (in): 0.0
 Printed by: R. CALVIT

Gage Table No. NTLX 1067
 Gage table date: 2/23/1999
 Head Diameter: 114.38 in.
 Center diameter: 116.138 in.
 Manway volume (gal): 0
 Printed on: 2/23/1999

This gage table shows OUTAGE volumes (volume of vapor space above the liquid surface). Distances shown are measured upward from the bottom of the tank to the surface of the liquid.

DIST. INCHES	OUTAGE GALLONS	DIST. INCHES	OUTAGE GALLONS	DIST. INCHES	OUTAGE GALLONS	DIST. INCHES	OUTAGE GALLONS
0.25	30,196	10.25	29,050	20.25	26,883	30.25	24,169
0.50	30,194	10.50	29,005	20.50	26,821	30.50	24,096
0.75	30,190	10.75	28,960	20.75	26,758	30.75	24,022
1.00	30,185	11.00	28,913	21.00	26,695	31.00	23,949
1.25	30,177	11.25	28,867	21.25	26,632	31.25	23,875
1.50	30,166	11.50	28,819	21.50	26,569	31.50	23,802
1.75	30,154	11.75	28,772	21.75	26,505	31.75	23,728
2.00	30,138	12.00	28,723	22.00	26,441	32.00	23,653
2.25	30,122	12.25	28,675	22.25	26,376	32.25	23,579
2.50	30,103	12.50	28,625	22.50	26,311	32.50	23,504
2.75	30,083	12.75	28,575	22.75	26,246	32.75	23,430
3.00	30,062	13.00	28,525	23.00	26,181	33.00	23,355
3.25	30,039	13.25	28,474	23.25	26,115	33.25	23,279
3.50	30,015	13.50	28,423	23.50	26,049	33.50	23,204
3.75	29,991	13.75	28,371	23.75	25,983	33.75	23,128
4.00	29,965	14.00	28,319	24.00	25,917	34.00	23,053
4.25	29,938	14.25	28,267	24.25	25,850	34.25	22,977
4.50	29,910	14.50	28,214	24.50	25,783	34.50	22,901
4.75	29,881	14.75	28,160	24.75	25,715	34.75	22,824
5.00	29,851	15.00	28,106	25.00	25,648	35.00	22,748
5.25	29,820	15.25	28,052	25.25	25,580	35.25	22,671
5.50	29,789	15.50	27,997	25.50	25,512	35.50	22,594
5.75	29,756	15.75	27,942	25.75	25,443	35.75	22,517
6.00	29,723	16.00	27,886	26.00	25,374	36.00	22,440
6.25	29,689	16.25	27,830	26.25	25,305	36.25	22,363
6.50	29,654	16.50	27,774	26.50	25,236	36.50	22,286
6.75	29,619	16.75	27,717	26.75	25,167	36.75	22,208
7.00	29,582	17.00	27,660	27.00	25,097	37.00	22,130
7.25	29,545	17.25	27,603	27.25	25,027	37.25	22,052
7.50	29,508	17.50	27,545	27.50	24,957	37.50	21,974
7.75	29,469	17.75	27,486	27.75	24,886	37.75	21,896
8.00	29,430	18.00	27,428	28.00	24,816	38.00	21,818
8.25	29,390	18.25	27,368	28.25	24,745	38.25	21,739
8.50	29,350	18.50	27,309	28.50	24,673	38.50	21,660
8.75	29,309	18.75	27,249	28.75	24,602	38.75	21,582
9.00	29,268	19.00	27,189	29.00	24,530	39.00	21,503
9.25	29,225	19.25	27,129	29.25	24,458	39.25	21,424
9.50	29,182	19.50	27,068	29.50	24,386	39.50	21,344
9.75	29,139	19.75	27,006	29.75	24,314	39.75	21,265
10.00	29,095	20.00	26,945	30.00	24,241	40.00	21,185

TEXANA TANK CAR & MFG., INC.

GagePro II© Version 11/22/98

Page 2

Gage Table No. NTLX 1067

DIST. INCHES	OUTAGE GALLONS	DIST. INCHES	OUTAGE GALLONS	DIST. INCHES	OUTAGE GALLONS	DIST. INCHES	OUTAGE GALLONS
40.25	21,106	52.75	16,999	65.25	12,794	77.75	8,708
40.50	21,026	53.00	16,915	65.50	12,711	78.00	8,629
40.75	20,946	53.25	16,831	65.75	12,627	78.25	8,550
41.00	20,866	53.50	16,747	66.00	12,544	78.50	8,471
41.25	20,786	53.75	16,663	66.25	12,460	78.75	8,392
41.50	20,706	54.00	16,579	66.50	12,377	79.00	8,314
41.75	20,625	54.25	16,495	66.75	12,294	79.25	8,236
42.00	20,545	54.50	16,411	67.00	12,210	79.50	8,158
42.25	20,464	54.75	16,327	67.25	12,127	79.75	8,080
42.50	20,384	55.00	16,243	67.50	12,044	80.00	8,002
42.75	20,303	55.25	16,159	67.75	11,961	80.25	7,924
43.00	20,222	55.50	16,075	68.00	11,878	80.50	7,847
43.25	20,141	55.75	15,991	68.25	11,795	80.75	7,769
43.50	20,060	56.00	15,907	68.50	11,712	81.00	7,692
43.75	19,978	56.25	15,822	68.75	11,629	81.25	7,615
44.00	19,897	56.50	15,738	69.00	11,546	81.50	7,538
44.25	19,816	56.75	15,654	69.25	11,463	81.75	7,461
44.50	19,734	57.00	15,570	69.50	11,381	82.00	7,385
44.75	19,652	57.25	15,485	69.75	11,298	82.25	7,309
45.00	19,571	57.50	15,401	70.00	11,216	82.50	7,232
45.25	19,489	57.75	15,317	70.25	11,133	82.75	7,156
45.50	19,407	58.00	15,233	70.50	11,051	83.00	7,081
45.75	19,325	58.25	15,148	70.75	10,969	83.25	7,005
46.00	19,243	58.50	15,064	71.00	10,887	83.50	6,930
46.25	19,161	58.75	14,980	71.25	10,805	83.75	6,854
46.50	19,078	59.00	14,896	71.50	10,723	84.00	6,779
46.75	18,996	59.25	14,811	71.75	10,641	84.25	6,704
47.00	18,913	59.50	14,727	72.00	10,559	84.50	6,630
47.25	18,831	59.75	14,643	72.25	10,477	84.75	6,555
47.50	18,748	60.00	14,559	72.50	10,396	85.00	6,481
47.75	18,666	60.25	14,474	72.75	10,314	85.25	6,407
48.00	18,583	60.50	14,390	73.00	10,233	85.50	6,333
48.25	18,500	60.75	14,306	73.25	10,151	85.75	6,259
48.50	18,417	61.00	14,222	73.50	10,070	86.00	6,186
48.75	18,334	61.25	14,138	73.75	9,989	86.25	6,112
49.00	18,251	61.50	14,053	74.00	9,908	86.50	6,039
49.25	18,168	61.75	13,969	74.25	9,827	86.75	5,966
49.50	18,085	62.00	13,885	74.50	9,747	87.00	5,894
49.75	18,002	62.25	13,801	74.75	9,666	87.25	5,821
50.00	17,918	62.50	13,717	75.00	9,585	87.50	5,749
50.25	17,835	62.75	13,633	75.25	9,505	87.75	5,677
50.50	17,752	63.00	13,549	75.50	9,425	88.00	5,606
50.75	17,668	63.25	13,465	75.75	9,345	88.25	5,534
51.00	17,585	63.50	13,381	76.00	9,264	88.50	5,463
51.25	17,501	63.75	13,297	76.25	9,185	88.75	5,392
51.50	17,418	64.00	13,213	76.50	9,105	89.00	5,321
51.75	17,334	64.25	13,129	76.75	9,025	89.25	5,250
52.00	17,250	64.50	13,046	77.00	8,945	89.50	5,180
52.25	17,167	64.75	12,962	77.25	8,866	89.75	5,110
52.50	17,083	65.00	12,878	77.50	8,787	90.00	5,040

TEXANA TANK CAR & MFG., INC.

GagePro II© Version 11/22/98

Page 3

Gage Table No. NTLX 1067

DIST. INCHES	OUTAGE GALLONS	DIST. INCHES	OUTAGE GALLONS	DIST. INCHES	OUTAGE GALLONS
90.25	4,971	102.75	1,882	115.25	25
90.50	4,901	103.00	1,830	115.50	14
90.75	4,832	103.25	1,778	115.75	5
91.00	4,763	103.50	1,727	116.00	0
91.25	4,695	103.75	1,676		
91.50	4,627	104.00	1,625		
91.75	4,559	104.25	1,575		
92.00	4,491	104.50	1,526		
92.25	4,423	104.75	1,477		
92.50	4,356	105.00	1,429		
92.75	4,289	105.25	1,381		
93.00	4,223	105.50	1,333		
93.25	4,156	105.75	1,286		
93.50	4,090	106.00	1,240		
93.75	4,024	106.25	1,194		
94.00	3,959	106.50	1,149		
94.25	3,894	106.75	1,104		
94.50	3,829	107.00	1,060		
94.75	3,764	107.25	1,017		
95.00	3,700	107.50	974		
95.25	3,636	107.75	931		
95.50	3,573	108.00	889		
95.75	3,509	108.25	848		
96.00	3,446	108.50	808		
96.25	3,384	108.75	768		
96.50	3,321	109.00	729		
96.75	3,259	109.25	690		
97.00	3,198	109.50	652		
97.25	3,136	109.75	615		
97.50	3,075	110.00	579		
97.75	3,015	110.25	543		
98.00	2,954	110.50	508		
98.25	2,894	110.75	474		
98.50	2,835	111.00	441		
98.75	2,776	111.25	408		
99.00	2,717	111.50	376		
99.25	2,658	111.75	345		
99.50	2,600	112.00	315		
99.75	2,543	112.25	286		
100.00	2,485	112.50	258		
100.25	2,429	112.75	231		
100.50	2,372	113.00	205		
100.75	2,316	113.25	179		
101.00	2,260	113.50	156		
101.25	2,205	113.75	133		
101.50	2,150	114.00	111		
101.75	2,096	114.25	91		
102.00	2,042	114.50	72		
102.25	1,988	114.75	55		
102.50	1,935	115.00	39		