

OUTAGE TABLE NO. 6532

NO DOME									
INS	GALS	INSGALS	INS	GALS	INS	GALS	INS	GALS	INS
0	0	10	1243	40	9122	80	21105	24433	
1/4	5	1336	41	9431	81	21354	24465		
1/2	14	1431	42	9742	82	21599	24497	97	
3/4	26	1528	43	10054		21720	24529		
	40	1628	44	10367	83	21839	24559		
1/4	55	1728	45	10681		21957	24588		
1/2	73	1831	46	10996	84	22073	24617	98	
3/4	92	1936	47	11311		22189	24644		
	112	2042	48	11627	85	22303	24671		
1/4	134	2150	49	11943		22415	24697		
1/2	157	2259	50	12260	86	22526	24722	99	
3/4	181	2370	51	12577		22636	24747		
	206	2483	52	12893	87	22744	24771		
1/4	233	2597	53	13210		22850	24794		
1/2	260	2713	54	13526	88	22955	24816	100	
3/4	288	2830	55	13842		23058	24836		
	317	2948	56	14157	89	23159	24855		
1/4	348	3068	57	14472		23259	24872		
1/2	379	3189	58	14786	90	23357	24888	101	
3/4	410	3312	59	15099		23453	24902		
	443	3435	60	15411	91	23547	24914		
1/4	477	3566	61	15722		23639	24923		
1/2	511	3694	62	16031	92	23729			
3/4	546	3823	63	16339		23773			
	582	3954	64	16639		23816			
1/4	618	4085	65	16939		23860			
1/2	655	4216	66	17235	93	23902			
3/4	693	4348	67	17529		23944			
	732	4483	68	17822		23985			
1/4	771	4614	69	18112		24026			
1/2	811	4746	70	18399	94	24066			
3/4	852	4881	71	18685		24106			
	893	5016	72	18967		24145			
1/4	935	5153	73	19246		24183			
1/2	977	5291	74	19523	95	24221			
3/4	1020	5430	75	19796		24258			
	1063	5570	76	20065		24294			
1/4	1108	5711	77	20331		24330			
1/2	1152	5853	78	20593	96	24365			
3/4	1197	5996	79	20851		24399			

102 EMPTY 24928

OUTAGE TABLE NO. 6533

NO DOME									
INS	GALS	INSGALS	INS	GALS	INS	GALS	INS	GALS	INS
0	0	10	612	40	4575	80	10671	12290	
1/4	2	658	41	4731	81	10798	12305		
1/2	7	705	42	4889	82	10923	12320		
3/4	12	753	43	5046		10984	12334	97	
	19	803	44	5205	83	11045	12348		
1/4	27	853	45	5364		11105	12361		
1/2	35	904	46	5523	84	11164	12374		
3/4	45	956	47	5683		11223	12386	98	
	54	1009	48	5843	85	11280	12398		
1/4	65	1063	49	6003		11338	12410		
1/2	76	1118	50	6163	86	11394	12422		
3/4	88	1173	51	6324		11449	12434	99	
	100	1229	52	6484	87	11504	12445		
1/4	113	1286	53	6644		11558	12455		
1/2	127	1344	54	6804	88	11611	12465		
3/4	140	1403	55	6964		11663	12475	100	
	155	1462	56	7124	89	11711	12483		
1/4	170	1522	57	7283		11759	12491		
1/2	185	1583	58	7441	90	11805	12498		
3/4	200	1644	59	7600		11850	12503	101	
	216	1706	60	7757	91	11895	12508		
1/4	233	1769	61	7914		11938			
1/2	250	1832	62	8070		11959			
3/4	267	1895	63	8226	92	11980			
	285	1958	64	8381		12001			
1/4	303	2021	65	8534		12022			
1/2	321	2084	66	8687		12042			
3/4	340	2147	67	8839	93	12061			
	359	2210	68	8989		12081			
1/4	378	2273	69	9138		12100			
1/2	398	2336	70	9286		12119			
3/4	418	2400	71	9432	94	12138			
	438	2463	72	9577		12156			
1/4	459	2526	73	9720		12174			
1/2	480	2589	74	9862		12192			
3/4	501	2652	75	10002	95	12209			
	523	2715	76	10140		12226			
1/4	545	2778	77	10276		12242			
1/2	567	2841	78	10410		12259			
3/4	589	2904	79	10541	96	12274			

101 1/2 12510 EMPTY

OUTAGE TABLE NO. 6534

NO DOME									
INS	GALS	INSGALS	INS	GALS	INS	GALS	INS	GALS	INS
0	0	10	609	40	4557	80	10630	12242	
1/4	2	655	41	4713	81	10756	12257		
1/2	7	702	42	4869	82	10880	12271		
3/4	12	750	43	5027		10941	12286	97	
	19	799	44	5185	83	11002	12299		
1/4	27	850	45	5343		11062	12313		
1/2	35	900	46	5502	84	11121	12325		
3/4	44	952	47	5661		11179	12338	98	
	54	1005	48	5820	85	11237	12350		
1/4	65	1059	49	5979		11294	12361		
1/2	76	1113	50	6139	86	11350	12373		
3/4	88	1168	51	6299		11405	12385	99	
	100	1224	52	6459	87	11459	12396		
1/4	113	1281	53	6618		11513	12407		
1/2	126	1339	54	6778	88	11566	12417		
3/4	140	1397	55	6937		11618	12426	100	
	154	1456	56	7096	89	11666	12434		
1/4	169	1516	57	7254		11713	12442		
1/2	184	1577	58	7412	90	11759	12449		
3/4	200	1638	59	7570		11804	12454	101	
	216	1699	60	7727	91	11848	12459		
1/4	232	1761	61	7883		11892			
1/2	249	1823	62	8039		11933			
3/4	266	1885	63	8194	92	11974			
	283	1948	64	8348		11954			
1/4	301	2011	65	8501		11975			
1/2	320	2074	66	8653		11995			
3/4	338	2137	67	8804	93	12014			
	357	2200	68	8954		12034			
1/4	377	2263	69	9102		12053			
1/2	396	2326	70	9250		12072			
3/4	416	2389	71	9395	94	12090			
	436	2452	72	9540		12109			
1/4	457	2515	73	9682		12127			
1/2	478	2578	74	9824		12144			
3/4	499	2641	75	9963	95	12161			
	521	2704	76	10103		12178			
1/4	542	2767	77	10236		12195			
1/2	564	2830	78	10369		12211			
3/4	587	2893	79	10501	96	12226			

101 1/2 12461 EMPTY

MTCX 1301

OUTAGE TABLE NO. 6535

NO DOME									
INS	GALS	INSGALS	INS	GALS	INS	GALS	INS	GALS	INS
0	0	10	1025	40	7554	80	17497	20249	
1/4	4	1102	41	7811	81	17703	20276		
1/2	12	1181	42	8069	82	17906	20302	97	
3/4	21	1261	43	8328		18006	20328		
	33	1343	44	8588	83	18105	20353		
1/4	46	1426	45	8848		18202	20377		
1/2	60	1511	46	9109	84	18299	20401	98	
3/4	76	1598	47	9371		18394	20424		
	92	1686	48	9633	85	18489	20446		
1/4	110	1775	49	9896		18582	20467		
1/2	129	1865	50	10158	86	18674	20487	99	
3/4	149	1957	51	10422		18764	20508		
	170	2051	52	10685	87	18854	20528		
1/4	191	2145	53	10947		18942	20547		
1/2	214	2241	54	11210	88	19028	20565	100	
3/4	237	2338	55	11472		19114	20581		
	261	2436	56	11734	89	19197	20597		
1/4	286	2535	57	11995		19280	20611		
1/2	312	2635	58	12255	90	19361	20624	101	
3/4	338	2736	59	12515		19440	20636		
	365	2839	60	12774	91	19518	20645		
1/4	392	2941	61	13032		19594	20653		
1/2	421	3045	62	13289	92	19668			
3/4	450	3150	63	13545		19704			
	479	3256	64	13794		19740			
1/4	509	3363	65	14041		19776			
1/2	540	3471	66	14288	93	19811			
3/4	571	3580	67	14532		19846			
	603	3689	68	14775		19880			
1/4	636	3799	69	15015		19914			
1/2	668	3910	70	15254	94	19947			
3/4	702	4021	71	15490		19980			
	736	4132	72	15725		20012			
1/4	770	4243	73	15956		20043			
1/2	805	4354	74	16185	95	20075			
3/4	841	4465	75	16412		20105			
	877	4576	76	16635		20135			
1/									